.(5)(0)

Metal Wide Belt Polishing Machine, Safety Speed Wide Belt Sander Machine

Basic Information

Place of Origin: China
Brand Name: SKD
Model Number: MS13RR
Minimum Order Quantity: 1 set

• Price: USD10000-350000

Packaging Details: Shrink Wrapped or Woodcase

• Delivery Time: 20-60 days

• Payment Terms: TT

• Supply Ability: 70-100set per year



Product Specification

Name: Metal Wide Belt Sander

Control Panel: Control Panel With Motor Load Meter, digital

Readout

• Power: 380v 50Hz Or Customized

Sanding Belt Oscillation: YesSanding Belt Motor Break: YesWeight: 3.9 Ton

Highlight: Metal Wide Belt Polishing Machine,
 Safety Speed Wide Belt Sander Machine



Product Description

Metal Wide Belt Sander

General Description

This is a metalworking wide belt sander for deburring, sanding, polishing, finishing, slag removal and texturing. With 2 powerful sanding drums and vacuum sucking work-table, the metal wide belt sander can process wide metal sheets, plates, middle and small size metal work-piece in an effective way for deburring, grinding and finishing. With a quick change of the abrasive belt, this metal wide belt sander can do slag removal and oxide removal of the metal parts done by plasma cut or flame cut.

The metal wide belt sander is designed for one wide part or multi smaller parts processed in a production line or in an independent way. Vacuum sucking work-table can fix minimum 100mm smaller parts on the conveyor belt to insure a good deburring or finishing. Either high productivity in a flow line or reliable effects for smaller parts, this metal wide belt sander will not let you down, but saving labor and time.

FEATURES

1350mm max working width
Digital thickness readout for conveyor height
Control panel with motor load meter,digital readout
Electronic abrasive belt tracking
Pneumatic abrasive tensioning
High quality contact drum
Robust welded frame

SPECIFICATIONS

Abrasive Belt Size 2500x1380mm

Motor: 22kw +22kwwith frequency control

Table Lifting Motor: 1.5kw Number of Heads :2

Sanding Drum Diameter: 240mm

Dust port size: drum 150mm x 6, space 100mm x 4
Automatic Thickness Control: Yes (Thickness or)

Foot Print: 51-1/2" x 19" Sanding Belt Oscillation: Yes Sanding Belt Motor Break: Yes









SKD Machinery(Qingdao)Co. Ltd.



+86 186 5321 8199



skdmachinery@126.com



skdmachinery.com

Workshop C-16 No.1 Zhenping Road,Sifang,Qingdao