



3.9ton Metal Wide Belt Sander For Polishing / Finishing / Slag Removal

Our Product Introduction

for more products please visit us on skdmachinery.com


Basic Information

- Place of Origin: China
- Brand Name: SKD
- Model Number: MS13RR
- Minimum Order Quantity: 1 set
- Price: USD10000-350000
- Packaging Details: Shrink Wrapped or Woodcase
- Delivery Time: 20-60 days
- Payment Terms: TT
- Supply Ability: 70-100set per year



Product Specification

- Name: Metal Wide Belt Sander
- Type: Sanding
- Function: Deburring, Grinding, Slag Removal, Finishing
- Max Working Width: 1350mm
- Weight: 3.9 Ton
- Table Lifting Motor: 1.5kw
- Highlight: **3.9ton Metal Wide Belt Sander,
Finishing Metal Wide Belt Sander,
Slag Removal Metal Wide Belt Sander**



More Images



Product Description

Metal Wide Belt Sander

General Description

This is a metalworking wide belt sander for deburring, sanding, polishing, finishing, slag removal and texturing. With 2 powerful sanding drums and vacuum sucking work-table, the metal wide belt sander can process wide metal sheets, plates, middle and small size metal work-piece in an effective way for deburring, grinding and finishing. With a quick change of the abrasive belt, this metal wide belt sander can do slag removal and oxide removal of the metal parts done by plasma cut or flame cut.

The metal wide belt sander is designed for one wide part or multi smaller parts processed in a production line or in an independent way. Vacuum sucking work-table can fix minimum 100mm smaller parts on the conveyor belt to insure a good deburring or finishing. Either high productivity in a flow line or reliable effects for smaller parts, this metal wide belt sander will not let you down, but saving labor and time.

FEATURES

- 1350mm max working width
- Digital thickness readout for conveyor height
- Control panel with motor load meter, digital readout
- Electronic abrasive belt tracking
- Pneumatic abrasive tensioning
- High quality contact drum
- Robust welded frame

SPECIFICATIONS

- Power supply: 380v 50Hz or on request
- Dust port size: drum 150mm x 6, space 100mm x 4
- Automatic Thickness Control: Yes (Thickness or)
- Foot Print: 51-1/2" x 19"
- Sanding Belt Oscillation: Yes
- Sanding Belt Motor Break: Yes
- Conveyor Opening 0-80mm
- Floor to Table Height 900-990mm
- Conveyor Drive Motor 5.5kw
- Feed Speed 5-25 meter per minute variable
- Dimension 2200x2500x2300mm WxDxH
- Weight 3.9 ton
- Work piece Max Width 1350mm
- Work piece Max Thickness 60mm
- Work piece Min. Length 100mm





SKD Machinery(Qingdao)Co. Ltd.



+86 186 5321 8199



skdmachinery@126.com



skdmachinery.com

Workshop C-16 No.1 Zhenping Road,Sifang,Qingdao