



Metalworking Wide Belt Sander Machine Manufacturer For Deburring / Sanding / Polishing

Our Product Introduction

for more products please visit us on skdmachinery.com


Basic Information

- Place of Origin: China
- Brand Name: SKD
- Model Number: MS13RR
- Minimum Order Quantity: 1 set
- Price: USD10000-350000
- Packaging Details: Shrink Wrapped or Woodcase
- Delivery Time: 20-60 days
- Payment Terms: TT
- Supply Ability: 70-100set per year



Product Specification

- Name: Metal Wide Belt Sander
- Max Working Width: 1350mm
- Control Panel: Control Panel With Motor Load Meter,digital Readout
- Work Piece Max Width: 1350mm
- Table Lifting Motor: 1.5kw
- Number Of Heads: 2
- Highlight: **Metalworking Wide Belt Sander Machine, Wide Belt Sander Machine Manufacturer, Wide Belt Deburring Machine**



More Images



Product Description

Metal Wide Belt Sander

General Description

This is a metalworking wide belt sander for deburring, sanding, polishing, finishing, slag removal and texturing. With 2 powerful sanding drums and vacuum sucking work-table, the metal wide belt sander can process wide metal sheets, plates, middle and small size metal work-piece in an effective way for deburring, grinding and finishing. With a quick change of the abrasive belt, this metal wide belt sander can do slag removal and oxide removal of the metal parts done by plasma cut or flame cut.

The metal wide belt sander is designed for one wide part or multi smaller parts processed in a production line or in an independent way. Vacuum sucking work-table can fix minimum 100mm smaller parts on the conveyor belt to insure a good deburring or finishing. Either high productivity in a flow line or reliable effects for smaller parts, this metal wide belt sander will not let you down, but saving labor and time.

SPECIFICATIONS

Abrasive Belt Size 2500x1380mm

Motor : 22kw +22kw with frequency control

Table Lifting Motor: 1.5kw

Number of Heads :2

Sanding Drum Diameter: 240mm

Work piece fix : Vacuum

Vacuum Area: 1250x200mm

Speed setting of sanding drum: Frequency converter control

Sanding Drum RPM: 1720

Foot Print: 51-1/2" x 19"

Sanding Belt Oscillation: Yes

Sanding Belt Motor Break: Yes

Conveyor Opening 0-80mm

Floor to Table Height 900-990mm

Conveyor Drive Motor 5.5kw





SKD Machinery(Qingdao)Co. Ltd.



+86 186 5321 8199



skdmachinery@126.com



skdmachinery.com

Workshop C-16 No.1 Zhenping Road,Sifang,Qingdao