

Precise Sanding Metal Wide Belt Sander Machine With Control Panel / Motor Load Meter

Basic Information

- Place of Origin:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time: 20-60 d
- Payment Terms: T
- Supply Ability:

USD10000-350000 Shrink Wrapped or Woodcase 20-60 days TT

70-100set per year

China MS13RR

1 set



Product Specification

- Name:
- Type:
- Function:
- Power:
- Conveyor Drive Motor:
- Number Of Heads:
- Highlight:

Metal Wide Belt Sander Sanding

Deburring, Grinding, Slag Removal, Finishing

380V 50HZ Or Customized

5.5kw 2

> Precise Sanding Metal Wide Belt Sander, Metal Wide Belt Sander Machine, Precise Sanding Wide Belt Metal Sanding Machine



More Images



Product Description

Metal Wide Belt Sander With Control Panel And Motor Load Meter For Precise Sanding

General Description

This is a metalworking wide belt sander for deburring, sanding,polishing, finishing, slag removal and texturing. With 2 powerful sanding drums and vacuum sucking work-table, the metal wide belt sander can process wide metal sheets, plates,middle and small size metal work-piece in an effective way for deburring, grinding and finishing. With a quick change of the abrasive belt, this metal wide belt sander can do slag removal and oxide removal of the metal parts done by plasma cut or flame cut.

FEATURES

1350mm max working width Digital thickness readout for conveyor height Pneumatic abrasive tensioning High quality contact drum Robust welded frame

SPECIFICATIONS

Dust port size: drum 150mm x 6, space 100mm x 4 Automatic Thickness Control: Yes (Thickness or) Foot Print: 51-1/2" x 19" Sanding Belt Oscillation: Yes Sanding Belt Motor Break: Yes Conveyor Opening 0-80mm Floor to Table Height 900-990mm Conveyor Drive Motor 5.5kw Feed Speed 5-25 meter per minute variable Dimension 2200x2500x2300mm WxDxH Weight 3.9 ton Work piece Max Width 1350mm Work piece Max Thickness 60mm Work piece Min. Length 100mm



