




Durable Stainless Steel Deburring Machine , Wide Belt Metal Finishing Equipment

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: SKD
- Minimum Order Quantity: 1 set
- Price: USD10000-350000
- Packaging Details: Shrink Wrapped or Woodcase
- Delivery Time: 20-60 days
- Payment Terms: TT
- Supply Ability: 70-100set per year



Product Specification

- Name: Metal Finishing Equipment
- Grinding Belt Length: 1900 Mm
- Working Height: 800-900 Mm (variable)
- Control: HMI-controller
- Workpiece Thickness: 0.8-100 Mm
- Grinding Belt Drive Up: 11 KW
- Highlight: **Durable Stainless Steel Deburring Machine,
Wide Belt Metal Finishing Equipment**

Product Description

Metal Finishing Machine

General

The wide belt sanding machine is a versatile tool used for surface finishing sheet metal, regardless of whether it is done in wet or dry conditions. Its primary purpose is to refine, modify, or shape the substrate, resulting in an improved overall quality and appearance .

Sanding, which involves the use of abrasive heads or disks, is a widely utilized technique for achieving a smooth surface on various materials, including sheet metal. By employing the wide belt sanding machine, manufacturers can attain the desired level of smoothness and surface quality on their sheet metal components.

The process of surface finishing serves the essential objective of enhancing the aesthetic appeal, durability, and other desired characteristics of the finished component. It involves the removal of rough edges, burrs, or imperfections, as well as the creation of a uniform and polished appearance .

Whether the purpose is primarily decorative or driven by functional requirements, surface finishing plays a crucial role in improving the overall quality and performance of sheet metal components. The wide belt sanding machine offers an efficient and effective means to achieve the desired surface finish, contributing to the overall appeal and functionality of the final product.

Technical Data

Working widths 1100 and 1350 mm	Grinding belt length 1900 mm
Working height 800-900 mm (variable)	Infinitely adjustable feed speed (1–10 m/min)
Version with 1 to 2 grinding stations	HMI-controller
Workpiece thickness 0.8-100 mm	Grinding belt drive up to 11 kW



SKD Machinery(Qingdao)Co. Ltd.



+86 186 5321 8199



skdmachinery@126.com



skdmachinery.com

Workshop C-16 No.1 Zhenping Road,Sifang,Qingdao